CONTENUR

WHEELED BINS

REAR LOADING CONTAINERS – **4 WHEELS**

Double Lid 4W


1100 L
Capacity

440 Kg
Nominal load

200 mm
Wheels diameter



TECHNICAL SPECIFICATIONS



Note: These dimensions are subject to the tolerances given in EN-840-2:2020

O817582D / 24.07.25 / REV 0.0

**The manufactured model may differ slightly from the images shown in the technical specifications.*

CONTENUR

REAR LOADING CONTAINERS – **4 WHEELS**

Double Lid 4W

FEATURES

- The design of the rear-loading CONTENUR containers are focused on the ergonomics and aesthetics of all parts.
- Manufactured using injection moulding with mass-coloured high-density polyethylene stabilised against the combined effects of water and UV rays.
- Recyclable materials that do not harm the environment are used in their production.
- The pigments used do not contain heavy metals.
- Front and side handles integrated into the lid for comfortable and ergonomic opening.
- Body with robust curves that provide structural strength and allow for easy cleaning.

STANDARDS

- CE marking with noise level indication in accordance with Directive 2000/14/EC of the European Parliament and of the Council, with a value of 92 dB.
- Product certification issued by TÜV Rheinland.
- Certificate of accessibility in accordance with Standard UNE EN 170001.

EQUIPMENT AND ACCESSORIES

- The containers are designed to facilitate stacking, optimising logistics, which contributes to reduced CO2 emissions when transporting them.
- Versions available for each type of waste: paper and cardboard, glass, packaging, organic waste, etc.
- DIN lifting systems.
- Soundproofing system integrated into the main cover and front cover.
- Recess for the installation of electronic chips.
- Wheels designed to prevent dirt from sticking to the wheel and to aid cleaning.
- Containers with 4 wheels equipped with brake to prevent them from moving.
- Possibility of customising body and lid of the container with shields, logos, etc. using the thermal transfer graphic system.
- 350 mm front cover opening.
- Ø160/200 mm wheels that guarantee safe and stable movement.
- Can be customised with inserts, available sizes:

  - 100 x 100 mm.
  - 90 x 250 mm.
  - 100 x 250 mm.
  - 60 x 240 mm.



C700



C800



C1000



C1100



C1100 TC

**The manufactured model may differ slightly from the images shown in the technical specifications.*

REAR LOADING CONTAINERS – **4 WHEELS**

Double Lid 4W

CUSTOMISATION

Can be equipped with a range of accessories providing real solutions to every requirement.



LOCK



REFLECTIVE STRIPS



NUMBERING



FRONT COVER
Opening: 350 mm



HOT STAMPING ON THE LID
Maximum dimensions: 310 x 75 mm



HOT STAMPING ON THE BODY



CUSTOMISATION WITH INSERTS

**The manufactured model may differ slightly from the images shown in the technical specifications.*