





**CONTENUR**

Torneros 3  
Pol. In. Los Ángeles  
28906 Getafe  
Madrid, Spain

[www.contenur.com/en](http://www.contenur.com/en)

PRODUCT  
**CATALOGUE**

CLICK ON CERTAIN ITEMS  
TO LEARN MORE.



# REAR-LOADING CONTAINERS

## The fullest range

**CONTENUR's** Rear-Loading containers are designed with all aspects of ergonomics and aesthetics. Manufactured with high-density injected polyethylene and designed to facilitate their use, efficiency and durability.

Designed to facilitate stacking and optimise logistics, thus helping reduce CO<sup>2</sup> emissions during transportation.

Manufactured under the highest international quality standards in each field of activity (DIN, EN-840, ISO, UN), these containers are the most resistant the market has to offer.

Available in a wide range of colours, they offer a complete series of accessories in order to cover any issue that may arise in each city's waste collection.

Thanks to their small number of manufacturing parts, they are easily assembled and installed without difficulty.

Different versions exist for each type of collection: paper and cardboard, glass, packaging, organic and other waste, etc.



QUALITY



ERGONOMICS



WIDE RANGE



CLICK ON CERTAIN ITEMS  
TO LEARN MORE.




# 2-WHEELS

## REAR-LOADING CONTAINERS ▶



### LID OPENING

Designed to lower slowly, ensuring a smooth shifting of the lid and noiseless closing.



### RFID CHIPS

Space inside the container body for chip hosting. This facilitates container identification and tracking.



### SOUNDPROOFING

Our design includes an exclusive leaf-spring soundproofing system to reduce the noise print.



### WHEELS

Wheels designed to avoid adhered dirt and to facilitate cleaning. Fast and simple assembly/dismantling.



### HANDLES






Equipped ex works with two handles integrated into the body to facilitate container handling.



### CUSTOMISATION

The container body may be customised with emblems, logos, etc., using thermal printing.

| Model | Capacity | Nominal load | Wheels diameter |
|-------|----------|--------------|-----------------|
| C80   | 80 L     | 32 Kg        | 200 mm          |
| C90   | 90 L     | 36 Kg        | 200 mm          |
| C120  | 120 L    | 48 Kg        | 200 mm          |
| C140  | 140 L    | 56 Kg        | 200/250 mm      |
| C180  | 180 L    | 72 Kg        | 200/250 mm      |
| C240  | 240 L    | 96 Kg        | 200/250 mm      |
| C360  | 340 L    | 136 Kg       | 200/300 mm      |



CLICK ON CERTAIN ITEMS  
TO LEARN MORE.



# 2-WHEELS

## REAR-LOADING CONTAINERS ▶



## ACCESSORIES ▶

### SELECTIVE OPENINGS –

*\* Check each model's availability*

Openings used to recycle different types of waste: paper and cardboard, glass, packaging, organic, MSW...

Circular openings, available in the following diameters:

- ▶ Ø150 mm
- ▶ Ø200 mm
- ▶ Ø250 mm
- ▶ Ø300 mm

Paper opening, sizes available:

- ▶ 277 x 65 mm
- ▶ 341 x 80 mm
- ▶ 370 x 85 mm

Brush opening, sizes available:

- ▶ 300 x 30 mm
- ▶ 330 x 150 mm

Opening for confidential waste, size available:

- ▶ 300 x 30 mm
- ▶ 330 x 30 mm

### MANUAL OR AUTOMATIC LOCK –

This prevents the container from opening

### NUMBERING –

On a plate or thermally printed on the body

### CUSTOMISATION –

Thermally printed on the body, maximum size 260 x 260 mm  
\*except for models 90 and 360 (maximum size 290 x 280 mm).

Thermally printed lid, maximum size 230 x 45 mm

Customisation with a sticker or adhesive vinyl. Both the body and lid of the container may be customised

### SIDE HANDLE –

Facilitates container handling



### PEDAL –

The pedal accessory is installed in the body to facilitate opening of the lid



### LID-IN-LID –

An accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells. Useful size: 300 x 250 mm

Lid-in-lid options:

- ▶ Unlocked lid-in-lid
- ▶ Manually locked lid-in-lid
- ▶ Electronically locked lid-in-lid



### DOUBLE LID SYSTEM –

*\* Accessory available for models C180 and C240*

The double lid system makes it easy for users to deposit waste when the container is in a hard-to-reach place. The lid's double opening at the back and front makes the container more ergonomic and easier to handle. The system includes a manual lock integrated in the lid and made from high-density polythene



### DIVIDED WALL –

*\* Accessory available for models C180 and C240*

The separator system makes it easier for users to separate waste at source. The accessory divides the inside of the container in two and makes it easier to selectively collect more than one type of waste


# 4-WHEELS

## REAR-LOADING CONTAINERS ▶



### LID OPENING

Designed to lower slowly, ensuring a smooth shifting of the lid and noiseless closing.



### RFID CHIPS

Space inside the container body for chip hosting. This facilitates container identification and tracking.



### SOUNDPROOFING

Our design includes an exclusive leaf-spring soundproofing system to reduce the noise print.



### WHEELS

All four-wheel containers are fitted ex works with four wheels, 200 mm wide.



### HANDLES

Equipped ex works with two handles integrated into the body to facilitate container handling.



### CUSTOMISATION

The container body may be customised with emblems, logos, etc., using thermal printing.

| Model          | Capacity | Nominal load | Wheels diameter |
|----------------|----------|--------------|-----------------|
| C700           | 660 L    | 264 Kg       | 160/200 mm      |
| C800           | 770 L    | 308 Kg       | 160/200 mm      |
| C1000          | 1000 L   | 400 Kg       | 200 mm          |
| C1100          | 1100 L   | 440 Kg       | 200 mm          |
| C1100 Roll top | 1100 L   | 440 Kg       | 200 mm          |

C700



- 660 L capacity
- 264 Kg nominal load
- 4 wheels 160/200 mm

C800



- 770 L capacity
- 308 Kg nominal load
- 4 wheels 160/200 mm

C1000



- 1000 L capacity
- 400 Kg nominal load
- 4 wheels 200 mm

C1100



- 1100 L capacity
- 440 Kg nominal load
- 4 wheels 200 mm

C1100 RT



- 1100 L capacity
- 440 Kg nominal load
- 4 wheels 200 mm

CLICK ON CERTAIN ITEMS  
TO LEARN MORE.



# 4-WHEELS

## REAR-LOADING CONTAINERS ▶



## ACCESSORIES ▶

### SELECTIVE OPENINGS –

*\* Check each model's availability*

Openings used to recycle different types of waste:  
paper and cardboard, glass, packaging, organic, MSW...

Circular openings, available in the following diameters:

- ▶ Ø150 mm
- ▶ Ø200 mm
- ▶ Ø250 mm
- ▶ Ø300 mm
- ▶ Ø350 mm

Rectangular openings, sizes available:

- ▶ 260 x 160 mm
- ▶ 350 x 200 mm

Paper opening, sizes available:

- ▶ 512 x 145 mm
- ▶ 524 x 150 mm
- ▶ 530 x 227 mm
- ▶ 620 x 196 mm

Brush opening, size available:

- ▶ 330 x 150 mm

Opening for confidential waste, size available:

- ▶ 300 x 35 mm
- ▶ 330 x 35 mm

### MANUAL OR AUTOMATIC LOCK –

This prevents the container from opening

### REFLECTIVE STRIPS –

Highly visible and adhesive

### NUMBERING –

On a plate or thermally printed on the body

### CUSTOMISATION –

Thermally printed on the body, maximum size  
400 x 400 mm

Thermally printed on the lid, maximum size  
230 x 45 mm

### CUSTOMISED STICKER OR ADHESIVE VINYL –

The container's body and lid may be customised with a  
sticker or adhesive vinyl

### SIDE HANDLE –

To facilitate container handling

### CENTRALISED BRAKE –

An accessory that blocks all wheels at the same time

### POSITIONER –

Used to mount the position of the container's  
undercarriage



## ACCESSORIES ▶



### PEDAL -

The pedal accessory, with or without a shock absorber, is installed in the body to facilitate lid opening. Side-pedal option available



### FORK POCKETS -

Mechanism to easily lift and tip the container



### LID-IN-LID -

An accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells. Useful size: 300 x 250 mm

Lid-in-lid options:

- ▶ Unlocked lid-in-lid
- ▶ Manually locked lid-in-lid
- ▶ Electronically locked lid-in-lid



### RUBBER LID-IN-LID -

An accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells. Useful size: 285 x 150 mm

Lid-in-lid options:

- ▶ Unlocked lid-in-lid



### LARGE LID-IN-LID -

An accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells. Useful size: 400 x 330 mm

Lid-in-lid options:

- ▶ Unlocked lid-in-lid
- ▶ Manually locked lid-in-lid
- ▶ Electronically locked lid-in-lid



### ACCESSIBILITY PACK -

- ▶ Accessible body opening
- ▶ Accessibility sign
- ▶ Braille plate



### TOW KITS -

Facilitates moving multiple containers at the same time



### DROP FRONT -

Accessory to handle special waste more easily. Useful size: 645 x 540 mm

CLICK ON CERTAIN ITEMS  
TO LEARN MORE.



# OTHER CONTAINERS

REAR-LOADING ▶



## CONTAINERS FOR CLINICAL WASTE OR ADR ▶

### 2-WHEEL FEATURES:

- ▶ **UN customisation and ADR waste marking**
  - Containers certified under standard UN 3291 Marked as follows: C240/C360 UN 50H/Y/%/E/\*\*/SE-0015/O/\*\*
  - Customisation on both sides of the container body
- ▶ **Transportation**

Transportation and deposit of ADR waste according to UN 3291 regulations
- ▶ **Lock**

All containers come with a manual lock, accessed by authorised staff only
- ▶ **Handles**

A comfortable handle fitted into the container body, for easier manipulation

### 4-WHEEL FEATURES:

- ▶ **UN customisation and ADR waste marking**
  - Containers certified under standard UN 3291 Marked as follows: C700/C1100 UN 50H/Y/%/E/\*\*/SE-0015/O/\*\*
  - Customisation on both sides of the container body
- ▶ **Transportation**

Transportation and deposit of ADR waste according to UN 3291 regulations
- ▶ **Lock**

All containers come with a manual lock, accessed by authorised staff only
- ▶ **Handles**

Two comfortable handles fitted into the sides of the container body, to facilitate manipulation
- ▶ **Wheels**
  - Possible directional blocking accessory, when the container is used in a joint towline
  - Containers may be manufactured with grey trackless wheels (as an option)

| Model          | C240   | C360   |
|----------------|--------|--------|
| Capacity       | 240 L  | 340 L  |
| Nominal load   | 96 Kg  | 136 Kg |
| Wheel diameter | 200 mm | 200 mm |

| Model          | C700   | C1100  |
|----------------|--------|--------|
| Capacity       | 660 L  | 1100 L |
| Nominal load   | 264 Kg | 440 Kg |
| Wheel diameter | 200 mm | 200 mm |



## BIOCONTAINER ▶

### FEATURES:

- ▶ Ventilation mesh at the top and bottom of the container body to facilitate the production of household compost
- ▶ Polyethylene base at the bottom of the container, allowing organic waste to be transformed into compost
- ▶ Customisation:
  - Thermally printed on the body and lid
  - Sticker or adhesive vinyl
  - Highly visible adhesive reflective strips

| Capacity | 120 L  | 140 L   |
|----------|--------|---------|
| Height   | 996 mm | 1066 mm |
| Depth    | 554 mm | 512 mm  |
| Width    | 482 mm | 485 mm  |

| Capacity | 240 L   |
|----------|---------|
| Height   | 1070 mm |
| Depth    | 735 mm  |
| Width    | 581 mm  |

## HOUSEHOLD BIN ▶



### FEATURES:

- ▶ Metal handle made of zinc-plated steel, allowing the lid's opening space to be adjusted and mounted
- ▶ Customised with a thermally printed body
- ▶ Customised with a sticker or vinyl on the body and lid

| Capacity | 35 L    |
|----------|---------|
| Weight   | 1,65 Kg |
| Height   | 487 mm  |
| Depth    | 244 mm  |
| Width    | 326 mm  |



**www.  
contenur.  
com/en**

MK26CORP.CAT.ENEXP.V1