

**CONTENUR**

Torneros 3  
Pol. In. Los Ángeles  
28906 Getafe  
Madrid, España  
contenur@contenur.es



# Optik

**A new dimension in recycling**



**CONTENUR**

# A modern and sleek design suited to both city and rural locations

A standardised design for width and height that changes only in length depending on the volume of the unit.

## Compact and uniform size:

Reduces space between the units.

## Accessibility:

Opening at a height of 1.200 mm.

## Soundproofed:

The units can be soundproofed with PE foam to reduce noise during operation.

## Load-bearing internal metal structure

that makes the unit very robust.

Different lifting systems available: single hook, double hook and Kinshofer.

**Lids.**  
Possible openings on 4 sides of the column. 2 possible holes at the front and rear, and one on each side.

Optimum volume use, top access openings at 1.500 mm.




## Emptying and maintenance

Optik's cornerless design simplifies cleaning and maintenance. Its textured coating helps prevent vandalism from graffiti and unwanted posters.

The containers are designed to comply with EN-13071 regulations.

Holes at different heights for greater accessibility. On the front and rear, openings at heights of 1.200 mm and 1.500 mm.

At 1.200 mm on the sides.



## Dimensions and custom options

Containers can be manufactured in different colours to better suit their location and identify waste streams.

Large customisable surfaces

**Front and rear** 350 x 300 mm

**Side** 500 x 500 mm



### Three volume options

**2m<sup>3</sup>**

**Dimensions** 1.280 x 1.485 x 1.885 mm  
Designed for glass and organic waste.

**3m<sup>3</sup>**

**Dimensions** 1.680 x 1.485 x 1.885 mm  
Designed for glass, paper and packaging.

**4m<sup>3</sup>**

**Dimensions** 1.980 x 1.485 x 1.885 mm  
Designed for paper, packaging and household waste.





# A new dimension in recycling

Optik is designed to make depositing and emptying waste easier.

Openings and hatches manufactured in injected PE.



Manufactured in highly-weather resistant and 100% recyclable rotomolded HDPE.



Optik has a wider base to help make emptying the container more effective.