


REAR-LOADING CONTAINERS – 2 WHEELS

Biocontainer



DIMENSIONS

Modelo	1	2	3	4	5
C90	480 mm	475 mm	550 mm	855 mm	802 mm
C120	480 mm	482 mm	554 mm	996 mm	937 mm
C140	480 mm	485 mm	512 mm	1066 mm	1007 mm
C240	581 mm	570 mm	735 mm	1070 mm	1000 mm



Note: Dimensions are subject to the tolerances specified in EN 840-1:2020.

REAR-LOADING CONTAINERS – 2 WHEELS

Biocontainer

FEATURES

- The rear-loading CONTENUR containers are designed with a strong focus on ergonomics and overall aesthetic quality across all components.
- They are manufactured from injection-moulded, solid-colour high-density polyethylene (HDPE), stabilised to resist the combined effects of water and UV radiation.
- The containers are produced using environmentally friendly, fully recyclable materials.
- No heavy metals are used in the pigments.
- Equipped with DIN-standard lifting systems.
- The lid incorporates an integrated soundproofing system.
- A built-in recess is incorporated for electronic identification chips.
- The wheels are designed to minimise dirt adhesion and facilitate cleaning.
- Product certification issued by TÜV Rheinland.

EQUIPMENT AND ACCESSORIES

- Container specifically designed for the recycling of biodegradable waste and organic residues.
- All biodegradable food waste such as fruit peels and skins, meat and fish leftovers, vegetable scraps, coffee grounds, and tea residues can be deposited in the biocontainer. In addition, the container also accepts grease- or oil-soiled paper and cardboard, small plant waste such as flowers and leaves, cork stoppers, and sawdust.
- The container can be equipped with ventilation grilles on the sides, top, and bottom, as well as an internal base made of high-density polyethylene, which support the composting process.
- The container body and lid can be customised with logos or other graphics using a thermal transfer printing system.
- Body customisation via thermal transfer graphics is available. Maximum size of 260 x 260 mm.
- Lid customisation via thermal transfer graphics is available. Maximum size of 45 x 230 mm.
- Lid customisation via integrated sticker is available. Maximum size of 340 x 220 mm.

AVAILABLE CAPACITIES



C90



C120



C140



C240

REAR-LOADING CONTAINERS – **2 WHEELS**

Biocontainer

CUSTOMISATION

Can be equipped with a range of accessories providing real solutions to every requirement.



UPPER VENTILATION GRILLE



LOWER VENTILATION GRILLE



POLYETHENE BASE



LID IN LID



PEDAL

CUSTOMISATION BY
THERMAL TRANSFER GRAPHIC