





**CONTENUR**

Torneros 3  
Pol. In. Los Ángeles  
28906 Getafe  
Madrid, Spain

[www.contenur.com/en](http://www.contenur.com/en)

# PRODUCT CATALOGUE

CLICK ON CERTAIN ITEMS  
TO LEARN MORE.



# SIDE-LOADING CONTAINERS

## Designed as part of a city's landscape

**CONTENUR's** Side-Loading containers may be recognised by their quality, durability and resistance. They have been conceived as part of a city's landscape.

Manufactured with high-density injected polyethylene and environmentally-friendly materials, they are certified under the highest national and international quality and product standards.

An ergonomic design that is fully adaptable to each type of selective collection: paper and cardboard, glass, plastic, packaging, organic waste, other waste, etc.

Openings for loading at a lower height, sized and specifically designed for each application, for easier use. This may include **Smart Elements**, providing information in real time.

Outstanding user-friendliness and downloading, designed to ensure easy, speedy and effective cleaning and maintenance in optimum operating conditions.



INNOVATION



DESIGN



ACCESSIBILITY



CLICK ON CERTAIN ITEMS  
TO LEARN MORE.



# SIDE-LOADING CONTAINERS



### USER LID OPENING

Equipped with a pedal to allow contactless opening of the lid.



### GUIDE BARS

Plastic guide bars to reduce the noise made during collection.




### OPENING BARS

Elimination of cables to open the lid, resulting in less equipment maintenance.



### SLIDERS

Elastic sliders to better adapt the container to the ground.




### SHOCK ABSORBER

Allowing a safe and noiseless closing of the user lid.




### CUSTOMISATION



Possibility of customising the container body with emblems, logos, etc. using a thermoprinting system.



| Model | Capacity | Weight | Nominal load | Loading height |
|-------|----------|--------|--------------|----------------|
| CL360 | 2750 L   | 124 Kg | 1100 Kg      | 1195 mm        |



| Model     | Capacity | Weight | Nominal load | Loading height |
|-----------|----------|--------|--------------|----------------|
| OVAL 2000 | 2000 L   | 116 Kg | 800 Kg       | 1190 mm        |
| OVAL 3000 | 3000 L   | 138 Kg | 1200 Kg      | 1190/1250 mm   |



| Model   | Capacity | Weight | Nominal load | Loading height |
|---------|----------|--------|--------------|----------------|
| C2200   | 2200 L   | 116 Kg | 880 Kg       | 1180 mm        |
| C3200 F | 3200 L   | 140 Kg | 1280 Kg      | 1180 mm        |



| Model   | Capacity | Weight | Nominal load | Loading height |
|---------|----------|--------|--------------|----------------|
| C2400   | 2400 L   | 135 Kg | 960 Kg       | 1280 mm        |
| C3200 D | 3200 L   | 146 Kg | 1280 Kg      | 1263 mm        |

CLICK ON CERTAIN ITEMS  
TO LEARN MORE.



# CL360

## SIDE-LOADING ▶



### DESIGNED FOR

### CITIES

The **CL360** side-loading model is designed for a perfect integration in the city. A container model with a modern and renewed design, through soft shapes and simplified lines. As part of its CIRCLE® project, **CONTENUR** has set priorities in resource management to integrate the **CL360** container into the circular economy. The **CL360** container is 100% recyclable at the end of its useful life. Possibility of manufacturing the model with up to 100% recycled material.

|                       |              |
|-----------------------|--------------|
| <b>Model</b>          | <b>CL360</b> |
| <b>Capacity</b>       | 2750 L       |
| <b>Weight</b>         | 124 Kg       |
| <b>Nominal load</b>   | 1100 Kg      |
| <b>Loading height</b> | 1195 mm      |

### ACCESSORIES ▶

#### SELECTIVE OPENINGS -

Openings used to recycle different types of waste: paper and cardboard, glass, packaging, organic and other waste...

#### THERMALLY PRINTED CUSTOMISATION -

Great customisation potential on the body using thermal printing, maximum size 400x400 mm

#### CUSTOMISED STICKER OR ADHESIVE VINYL -

Each container may be customised with a sticker or adhesive vinyl, facilitating container access

#### WASTE IDENTIFICATION -

Relief sign and Braille marking for visually impaired users. Placed on the container body to indicate the type of waste

#### RFID CHIPS -

Space on the container body to host chips. This facilitates container identification and tracking

#### NUMBERING -

Using a plate on the body

#### WASTE IDENTIFICATION STICKER -

This facilitates citizen recycling, by including diagrams and icons for a rapid identification of each container

#### ACCESSIBILITY -

Opening height at 1195 mm, with little effort needed to action the pedal, which makes it fully accessible



**ACCESSORIES ▶**



**SELECTIVE OPENINGS –**

Circular openings, Ø200 and Ø400, and paper opening 975 x 200 mm



**PEDAL –**

An integrated pedal conceived to ensure accessibility and ergonomics



**NON-SELECTIVE WASTE OPENING –**

Lightweight and shock-absorbing, slows down the closing of the lid to prevent harsh closures




**LEVER –**

A manual opening device located on the body, allowing container accessibility




**AGAINST THE WALL OPTION –**

It makes it easier for the user to deposit waste when the container is located in areas that are difficult to access and cannot be reached from the pavement side. Loading and unloading is carried out in the same place



**ALIGNMENT SYSTEM –**

This helps the container remain in the same position



**MANUAL LOCK –**

Manual key lock to control user access to the container



**LARGE PRODUCERS SYSTEM –**

Lifting system that allows waste to be dumped into large containers

CLICK ON CERTAIN ITEMS  
TO LEARN MORE.



# OVAL

## SIDE-LOADING CONTAINERS ▶



### FULLY INTEGRATED

### INTO EACH CITY'S LANDSCAPE

Our side-loading **OVAL 2000** and **OVAL 3000** models are streamlined with a rounded design. Each unit is designed to facilitate and maximise its use, with simple lines in order to fit into the city's landscape. All containers have the same height and depth, to ensure uniform appearance in islands installed in the public thoroughfare. This generates greater homogeneity and is more space-efficient.

| Model          | OVAL 2000 | OVAL 3000    |
|----------------|-----------|--------------|
| Capacity       | 2000 L    | 3000 L       |
| Weight         | 116 Kg    | 138 Kg       |
| Nominal Load   | 800 Kg    | 1200 Kg      |
| Loading Height | 1190 mm   | 1190/1250 mm |

### ACCESSORIES ▶

#### SELECTIVE OPENINGS -

Openings used to recycle different types of waste: paper and cardboard, glass, packaging, organic and other waste...

#### THERMALLY PRINTED CUSTOMISATION -

Great customisation potential in the body using thermal printing, maximum size 400x400 mm

#### CUSTOMISED STICKER OR ADHESIVE VINYL -

Each container may be customised with a sticker or adhesive vinyl, facilitating container access

#### WASTE IDENTIFICATION -

Relief sign and Braille marking for visually impaired users. Placed on the container body to indicate the type of waste

#### RFID CHIPS -

Space on the container body to host chips. This facilitates container identification and tracking

#### NUMBERING -

Using a plate on the body

#### WASTE IDENTIFICATION STICKER -


This facilitates citizen recycling, by including diagrams and icons for a rapid identification of each container

#### ACCESSIBILITY -

Opening height at between 1190 and 1250 mm, involving the least possible pedal action, which makes it fully accessible



**ACCESSORIES ▶**



**SELECTIVE OPENINGS –**

*\* Check each Model's availability*

Circular openings, Ø200 and Ø400, and paper opening 890 x 200 mm



**PEDAL –**

An integrated pedal conceived to ensure accessibility and ergonomics. The maximum height of the pedal at its lowest is 250 mm from the ground



**USER LID –**

Light and buffered, slowing down the lowering of the lid to avoid it suddenly closing



**PEDAL FLEX® –**

The only pedal currently existing on the market that is compatible with a closed lock. This accessory is compatible with the body lever option



**LEVER –**

A manual opening device located in the body, allowing container accessibility



**LARGE LID-IN-LID –**

Accessory used to preserve the selective collection of atmospheric agents and avoid unpleasant smells. Useful size: 400 x 400 mm.

Lid-in-lid options:

- ▶ Unlocked lid-in-lid
- ▶ Manually locked lid-in-lid
- ▶ Electronically locked lid-in-lid



**LARGE SIZE OPENING –**

It simplifies the container as it does not have a pedal and maximises the deposit surface. Waste can be introduced without making contact with the container.

Dimensions:

- ▶ OVAL 2000: 370 x 410 mm
- ▶ OVAL 3000: 370 x 750 mm



**AGAINST THE WALL OPTION –**

It makes it easier for the user to deposit the waste when the container is located in areas that are difficult to access and cannot be reached from the pavement side. Loading and unloading is carried out in the same place



**MANUAL LOCK –**

Manual key lock to control user access to the container



**ELECTRONIC LOCK –**

Reliable and adjusted lock to reduce incidents



**ALIGNMENT SYSTEM –**

This helps the container remain in the same position



**LARGE PRODUCERS SYSTEM –**

Lifting system that allows waste to be dumped into large containers

CLICK ON CERTAIN ITEMS  
TO LEARN MORE.



# OVAL

100% CIRCLE® ▶

## CIRCLE® ▶

This is the company's new outlook, fruit of our continuous self-achievement. It goes beyond a mere catalogue of products and services. **Circle® represents a 100% circular economy.**



## ENVIRONMENT ▶

We are aware of how industry impacts the environment. We promote corporate commitment and the adoption of responsible policies. Our own activity sets an example, for a start.



## ECONOMY ▶

We have thoroughly reviewed our business strategy, ensuring Circle's economic feasibility, despite the economic resources it involves. This will allow it to remain over time.

## SOCIAL DYNAMICS ▶

We strive to create strategic alliances that facilitate change, generating social awareness, reducing the generation of waste and encouraging recycling.



**Circle® is put into practice through products such as the OVAL container**

CLICK ON CERTAIN ITEMS TO LEARN MORE.



# F MODEL

## SIDE-LOADING CONTAINERS ▶

### ASYMMETRIC MODEL

CONTENUR's asymmetric side-loading model has two versions, with **2200** or **3200** litre capacity. The container has a modern design, with homogenous shapes and a range of colours conceived to fit into current city landscapes. Its ergonomic design is all-inclusive, ensuring 100% accessibility.

| Model          | C2200   | C3200 F |
|----------------|---------|---------|
| Capacity       | 2200 L  | 3200 L  |
| Weight         | 116 Kg  | 140 Kg  |
| Nominal Load   | 880 Kg  | 1280 Kg |
| Loading Height | 1180 mm | 1180 mm |

### ACCESSORIES ▶

#### SELECTIVE OPENINGS –

Openings used to recycle different types of waste: paper and cardboard, glass, packaging, organic and other waste...

#### THERMALLY PRINTED CUSTOMISATION –

The container body may be customised using thermal printing, maximum size 400 x 400 mm

#### WASTE IDENTIFICATION –

Relief sign and Braille marking for visually impaired users. Placed on the container body to indicate the type of waste

#### RFID CHIPS –

Space in the container body to host chips. This facilitates container identification and tracking

#### NUMBERING –

Using a plate on the body

#### REFLECTIVE STRIPS –

These ensure greater container visibility in the public thoroughfare

#### WASTE IDENTIFICATION STRIP –


A sticker placed on the downloading lid, to identify the type of waste outside collection times

#### POSITION STRIP –

A sticker placed at the back of the container, to guide the collection truck during downloading

#### CUSTOMISED STICKER OR ADHESIVE VINYL –

Each container may be customised with a sticker or adhesive vinyl



**SELECTIVE OPENINGS –**

\* Check each Model's availability

Circular openings, Ø200, Ø300 and Ø400. Rectangular opening for 3200 L containers, sizes available:

- ▶ 990 x 150 mm
- ▶ 1000 x 250 mm



**LID-IN-LID –**

Accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells. Useful size: 240 x 270 mm

Lid-in-lid options:

- ▶ Unlocked lid-in-lid
- ▶ Electronically locked lid-in-lid (GPRS system)



**MANUAL LOCK –**

A key-operated manual lock allowing control over container user access



**ELECTRONIC LOCK –**

Card-operated electronic lock for user control, through GPRS or a radiofrequency system



**PEDAL –**

The pedal accessory is installed in the body and makes it easier to open the lid

**PEDAL FLEX® –**

The only pedal currently existing on the market that is compatible with a closed lock. This accessory is compatible with the body lever option



**LARGE LID-IN-LID –**

Accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells. Useful size: 400 x 400 mm

Lid-in-lid options:

- ▶ Unlocked lid-in-lid
- ▶ Manually locked lid-in-lid
- ▶ Electronically locked lid-in-lid



**LARGE PRODUCER SYSTEM –**

Lifting system to empty waste held in large-size containers




**ALIGNMENT SYSTEM –**

It allows the container to remain in the same position



**VOLUME LIMITER –**

This limits the size of deposited waste and is card-operated with an electronic lock, providing a log of users, frequency of use and the amount of generated waste



**ACCESSIBILITY PACK –**

- ▶ Lever
- ▶ Accessibility sign
- ▶ Braille plate

CLICK ON CERTAIN ITEMS TO LEARN MORE.



# D MODEL

## SIDE-LOADING CONTAINERS ▶

### SYMMETRIC MODEL

**CONTENUR's** symmetric side-loading container is resistant, durable, functional and easy to handle. With capacity of **2400** and **3200** litres, both models allow downloading on both sides. The small number of parts and components included ensure efficient maintenance. Manufactured with injected PE and designed to avoid deformities, to meet load requirements and to withstand blows during manipulation.

| Model          | C2400   | C3200 D |
|----------------|---------|---------|
| Capacity       | 2400 L  | 3200 L  |
| Weight         | 135 Kg  | 146 Kg  |
| Nominal Load   | 960 Kg  | 1280 Kg |
| Loading Height | 1280 mm | 1263 mm |

### ACCESSORIES ▶

#### SELECTIVE OPENINGS -

Openings used to recycle different types of waste: paper and cardboard, glass, packaging, organic and other waste...

#### THERMALLY PRINTED CUSTOMISATION -

The container may be customised through thermal printing, maximum size 400 x 400 mm

#### WASTE IDENTIFICATION -

Relief sign and Braille marking for visually impaired users. Place on the container body to indicate the type of waste

#### CHIP HOSTING -

Space inside the container body to host chips. This facilitates container identification and tracking

#### NUMBERING -


Using a plate on the body

#### REFLECTIVE STRIPS -

These ensure more container visibility in the public thoroughfare

#### POSITION STRIP -

A sticker place at the back of the container, to guide rubbish collectors during downloading



**SELECTIVE OPENINGS**

\* Check each Model's availability

Circular openings, Ø200, Ø250, Ø300 and Ø400.

Rectangular opening for 2400 L containers, sizes available:

- ▶ 485 x 185 mm
- ▶ 1000 x 190 mm
- ▶ 1000 x 225 mm
- ▶ 1090 x 190 mm

Rectangular opening for 3200 L containers, sizes available:

- ▶ 1015 x 150 mm
- ▶ 1090 x 180 mm



**REVERSIBLE PEDAL -**

Two-height pedal for adjustment depending on where the container is located



**LID-IN-LID -**

Accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells.

- ▶ Useful size (2400 L): 240 x 270 mm
- ▶ Useful size (3200 L): 325 x 320 mm

Lid-in-lid options: unlocked lid-in-lid



**LARGE LID-IN-LID -**

Accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells.

Useful size: 400 x 400 mm

Lid-in-lid options:

- ▶ Manually locked lid-in-lid
- ▶ Electronically locked lid-in-lid



**ALIGNMENT SYSTEM -**

This ensures that the container remains in the same position



**LEVER -**

A manual opening system located in the body, to facilitate container accessibility



**CUSTOMISED STICKER OR ADHESIVE VINYL -**

Each container may be customised with a sticker or adhesive vinyl, facilitating container accessibility



**ACCESSIBILITY PACK -**

- ▶ Accessible body opening
- ▶ Accessibility sign
- ▶ Braille plate



**www.  
contenur.  
com/en**

MK26CORP.CAT.ENEXP.V1