

REAR-LOADING CONTAINERS – 2 WHEELS

C140

140 L

Capacity

56 Kg


Nominal load

200/250 mm

Wheels diameter



DIMENSIONS



Note: Dimensions are subject to the tolerances specified in EN 840-1:2020.

REAR-LOADING CONTAINERS – 2 WHEELS

C140

FEATURES

- The rear-loading CONTENUR containers are designed with a strong focus on ergonomics and overall aesthetic quality across all components.
- They are manufactured from injection-moulded, solid-colour high-density polyethylene (HDPE), stabilised to resist the combined effects of water and UV radiation.
- The containers are produced using environmentally friendly, fully recyclable materials.
- No heavy metals are used in the pigments.

STANDARDS

- CE marking with noise level indication in accordance with Directive 2000/14/EC of the European Parliament and of the Council, with a value of 72 dB.
- Product certification issued by TÜV Rheinland.

EQUIPMENT AND ACCESSORIES

- The containers are designed for efficient stacking, optimising logistics and reducing CO₂ emissions during transportation.
- The container can be customised for different waste streams, including paper and cardboard, glass, plastics, and organic waste.
- Equipped with DIN-standard lifting systems.
- The lid incorporates an integrated soundproofing system.
- A built-in recess is incorporated for electronic identification chips.
- The wheels are designed to minimise dirt adhesion and facilitate cleaning.
- The container body and lid can be customised with logos or other graphics using a thermal transfer printing system.
- Body customisation via thermal transfer graphics is available. Maximum size of 260 x 260 mm.
- Lid customisation via thermal transfer graphics is available. Maximum size of 45 x 230 mm.
- Lid customisation via integrated sticker is available. Maximum size of 340 x 220 mm.



C80



C120



C140



C180



C240



C360

REAR-LOADING CONTAINERS – 2 WHEELS

C140

CUSTOMISATION

Can be equipped with a range of accessories providing real solutions to every requirement.



PAPER SLOT WITH COWL



CIRCULAR OPENING



CUSTOMISATION BY THERMAL
TRANSFER GRAPHIC



REFLECTIVE STRIPS



RED DOME LOCK



GLASS OPENING



PEDAL



LID IN LID