

- **News**
- **Sanitization Disinfection and Odor Neutralization Methods**
Sanitization Disinfection and Odor Neutralization Methods Choosing EPA registered disinfectants for duct interiors When to apply ULV fogging in HVAC cleaning Natural botanical products for low VOC sanitization Odor neutralizers suitable for confined ventilation zones Disinfecting coils after microbial contamination events How fogging reaches duct sections behind dampers Comparing chemical and non chemical odor treatments Safety procedures when applying sanitizers in ducts The science behind odor adsorption and oxidation Post cleaning deodorization for occupied buildings Maintaining airflow after deodorizer application Documentation required for sanitizer usage reporting
- **Regulatory Standards and Certification Frameworks**
Regulatory Standards and Certification Frameworks Understanding NADCA ACR guidelines for duct cleaning How ASHRAE standards align with ventilation hygiene Applying OSHA safety principles to HVAC maintenance Why documentation matters for IAQ compliance audits The role of certified air system cleaning specialists Interpreting ACR performance verification standards Preparing facilities for third party IAQ inspections Comparing commercial cleaning standards across sectors Worker training requirements under OSHA frameworks Aligning HVAC maintenance with ISO quality systems Field procedures that ensure compliance readiness Recordkeeping practices for inspection verification
- **About Us**

When to apply ULV fogging in HVAC cleaning
Image not found or type unknown

When to apply ULV fogging in HVAC cleaning

Cost-Effective Sanitization Techniques for Duct Systems

Lets talk about ULV fogging and HVAC systems, specifically, when it makes sense to bring out the fogger during a cleaning job. We all know HVAC systems are the lungs of a building, constantly circulating air. That air, unfortunately, can carry dust, mold spores, bacteria, and other unwelcome guests. Regular cleaning is crucial, but sometimes, a standard wipe-down just isnt enough. Thats where Ultra-Low Volume (ULV) fogging comes in.

Think of ULV fogging as a deep clean for your HVAC. Instead of relying on physical contact like brushing or vacuuming, it uses a fine mist of disinfectant or cleaning solution. This mist, created by the ULV fogger, gets propelled into the air ducts and HVAC components, reaching nooks and crannies that are otherwise inaccessible. Its like a microscopic army swarming the system to neutralize contaminants.

So, when is this microscopic army needed? Well, there are a few key scenarios. First, if you suspect a significant mold or bacterial contamination. Maybe theres a musty smell, visible mold growth, or a history of water damage. ULV fogging can help kill the existing mold and bacteria and prevent further spread. Second, post-remediation. After a larger cleaning or repair, fogging can act as a final step to ensure the system is thoroughly sanitized. Its like a seal of approval, guaranteeing a fresh start.

Another good time to consider ULV fogging is for preventative maintenance, especially in environments prone to contamination. Hospitals, schools, and food processing plants, for example, can benefit from regular fogging to maintain air quality and prevent outbreaks. Its about proactive hygiene. Finally, after a known event, like a flood or a confirmed case of a contagious illness in the building. Fogging can help minimize the risk of spread and restore a healthy environment.

Essentially, ULV fogging isn't an everyday cleaning method. It's a powerful tool for specific situations where a deeper, more thorough sanitization is required. It's about understanding the risk, assessing the situation, and choosing the right weapon in the fight against airborne contaminants.

Calgary homeowners notice less dust after duct cleaning services **pet allergy duct cleaning calgary** spring cleaning.

When it comes to maintaining a clean and healthy indoor environment, especially in a city like Calgary where air quality can be influenced by various factors, effective HVAC cleaning is crucial. One method that stands out for its efficiency and effectiveness is ULV (Ultra-Low Volume) fogging. This technique is particularly beneficial for duct cleaning in HVAC systems, and understanding when to apply ULV fogging can make a significant difference.

ULV fogging involves the use of a specialized machine to disperse a fine mist of cleaning solution into the air. This mist is so fine that it can reach even the smallest crevices and hard-to-reach areas within the HVAC system, including the ducts. The benefits of using ULV fogging for Calgary duct cleaning are numerous and worth considering.

Firstly, ULV fogging ensures thorough coverage. Traditional cleaning methods might miss certain areas within the ductwork, but the fine mist from ULV fogging can penetrate deep into the system, ensuring that all surfaces are cleaned effectively. This is particularly important in Calgary, where dust, pollen, and other allergens can accumulate in the ducts, affecting indoor air quality.

Secondly, ULV fogging is quick and efficient. The process can be completed in a relatively short amount of time, minimizing disruption to daily activities. This is especially beneficial for businesses and homes in Calgary, where maintaining a clean environment is essential for comfort and health.

Another significant benefit is the use of eco-friendly cleaning solutions. Many ULV fogging solutions are designed to be safe for the environment and non-toxic, making them a great

choice for those concerned about the impact of cleaning products on their health and the planet.

Timing is crucial when it comes to applying ULV fogging in HVAC cleaning. Ideally, it should be done during regular maintenance checks or when there is a noticeable decline in indoor air quality. Signs that it might be time for ULV fogging include increased dust levels, musty odors, or respiratory issues among occupants. Additionally, after construction or renovation work, ULV fogging can help remove any dust or debris that may have settled in the ducts.

In conclusion, ULV fogging offers a highly effective solution for duct cleaning in Calgarys HVAC systems. Its ability to provide thorough coverage, efficiency, and the use of eco-friendly solutions makes it a preferred method for maintaining clean and healthy indoor air. Knowing when to apply ULV fogging, such as during routine maintenance or after significant events like renovations, can ensure that your HVAC system operates at its best, contributing to a healthier living or working environment.

- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/index.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/choosing-epa-registered-disinfectants-for-duct-interiors.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-when-to-apply-ulv-fogging-in-hvac-cleaning.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-natural-botanical-products-for-low-voc-sanitization.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-odor-neutralizers-suitable-for-confined-ventilation-zones.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-disinfecting-coils-after-microbial-contamination-events.html>

- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-how-fogging-reaches-duct-sections-behind-dampers.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-comparing-chemical-and-non-chemical-odor-treatments.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-safety-procedures-when-applying-sanitizers-in-ducts.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-the-science-behind-odor-adsorption-and-oxidation.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-post-cleaning-deodorization-for-occupied-buildings.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-maintaining-airflow-after-deodorizer-application.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-documentation-required-for-sanitizer-usage-reporting.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/regulatory-standards-and-certification-frameworks.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/understanding-nadca-acr-guidelines-for-duct-cleaning.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-how-ashrae-standards-align-with-ventilation-hygiene.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-applying-osh-safety-principles-to-hvac-maintenance.html>

- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-why-documentation-matters-for-iaq-compliance-audits.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-the-role-of-certified-air-system-cleaning-specialists.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-interpreting-acr-performance-verification-standards.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-preparing-facilities-for-third-party-iaq-inspections.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-comparing-commercial-cleaning-standards-across-sectors.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-worker-training-requirements-under-osha-frameworks.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-aligning-hvac-maintenance-with-iso-quality-systems.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-field-procedures-that-ensure-compliance-readiness.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/-recordkeeping-practices-for-inspection-verification.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/privacy-policy.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/sitemap.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/sitemap.xml>

- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/about-us.html>
- <https://s3.eu-west-3.amazonaws.com/dept-sale/duct-stories-calgary/affordable-duct-cleaning/feed.xml>

Evaluating the Efficacy of Odor Neutralization Products

When it comes to maintaining a clean and healthy HVAC system, timing is everything, especially when it involves Ultra-Low Volume (ULV) fogging. ULV fogging is a highly effective method for sanitizing HVAC systems, targeting microorganisms, allergens, and contaminants that can accumulate within the ductwork and on surfaces. However, the success of this method largely depends on the ideal timing of its application.

The ideal timing for ULV fogging in HVAC cleaning is typically during periods of low occupancy or when the building is unoccupied. This is crucial for several reasons. Firstly, it ensures the safety and comfort of occupants. The chemicals used in ULV fogging, although safe when used correctly, can cause discomfort or respiratory issues if inhaled in large quantities. By applying the treatment when the building is empty, you minimize the risk of exposure to occupants.

Secondly, timing the application during low occupancy allows for the fogging agent to settle and work effectively. ULV fogging works by dispersing a fine mist of sanitizing solution into the air, which then settles on surfaces. This process is most effective when there is minimal air movement and when people are not moving around, which could disturb the settling process. Allowing the fog to sit undisturbed ensures that it reaches all areas of the HVAC system and surfaces, maximizing its effectiveness.

Additionally, scheduling ULV fogging during off-peak hours or when the building is closed can also help in reducing operational disruptions. HVAC systems are critical for maintaining comfortable indoor environments, especially in commercial settings. By choosing times when the system is not in heavy use, you can perform the fogging without significantly impacting the buildings operations.

Its also worth noting that the season can play a role in determining the ideal timing for ULV fogging. In many regions, HVAC systems are used less frequently during the spring and fall, making these seasons ideal for maintenance activities, including ULV fogging. This not only ensures the system is clean going into the heavier usage seasons (summer and winter) but also allows for any necessary follow-up treatments or adjustments to be made without rush.

In conclusion, the ideal timing for ULV fogging in HVAC cleaning is during periods of low occupancy, preferably during off-peak hours or when the building is unoccupied. This approach ensures the safety of occupants, allows the fogging agent to work effectively, minimizes operational disruptions, and can be scheduled during seasons of lower HVAC usage. By carefully considering the timing of ULV fogging applications, facility managers can ensure their HVAC systems remain clean, efficient, and safe for all users.

Evaluating the Efficacy of Odor Neutralization Products

Image not found or type unknown

Customer Reviews and Testimonials on Affordable Duct Cleaning Services

When it comes to maintaining clean and efficient HVAC systems in Calgary, one effective method is Ultra-Low Volume (ULV) fogging. This technique involves dispersing a fine mist of cleaning solution into the air ducts to eliminate contaminants, bacteria, and allergens. However, determining the frequency of ULV fogging applications is crucial to ensure optimal results without overusing resources. Several factors influence how often ULV fogging should be applied in Calgary's unique climate and environmental conditions.

Firstly, the level of indoor air pollution plays a significant role in deciding the frequency of ULV fogging. Calgary, like many urban areas, experiences varying levels of air pollution due to traffic, industrial activities, and seasonal changes. During periods of high pollution, such as winter inversions or wildfire seasons, the frequency of ULV fogging may need to be increased to counteract the influx of outdoor pollutants into indoor spaces.

Secondly, the occupancy and usage patterns of the building impact the need for ULV fogging. High-traffic areas, such as offices, schools, and healthcare facilities, may require more frequent fogging to maintain air quality standards. Conversely, buildings with lower occupancy or less frequent use may necessitate less frequent fogging applications.

Additionally, the presence of occupants with respiratory sensitivities or allergies can influence the frequency of ULV fogging. Individuals with asthma, allergies, or other respiratory conditions may be more susceptible to airborne contaminants, making regular fogging essential to create a healthier indoor environment.

Furthermore, the design and efficiency of the HVAC system itself play a crucial role in determining fogging frequency. Older or poorly maintained systems may harbor more dust, debris, and microbial growth, requiring more frequent fogging to ensure effective cleaning. On the other hand, well-designed and regularly maintained systems may require less frequent fogging applications.

Lastly, seasonal variations in Calgary's climate can affect the frequency of ULV fogging. During the colder months, when windows and doors are closed, indoor air quality may deteriorate more rapidly, necessitating more frequent fogging to maintain optimal conditions. Conversely,

during milder seasons when natural ventilation is more prevalent, the frequency of fogging may be reduced.

In conclusion, several factors influence the frequency of ULV fogging applications in HVAC cleaning in Calgary. These include indoor air pollution levels, building occupancy and usage patterns, occupant sensitivities, HVAC system design and efficiency, and seasonal variations in climate. By considering these factors and conducting regular assessments, HVAC professionals can determine the appropriate frequency of ULV fogging to ensure clean and healthy indoor environments for occupants in Calgary.

When it comes to maintaining a clean and healthy indoor environment, HVAC systems play a crucial role. Over time, these systems can accumulate dust, allergens, and even microbial growth, which can compromise air quality and affect the well-being of occupants. One effective method to enhance the cleaning process is through the application of ULV (Ultra-Low Volume) fogging.

ULV fogging is a technique that involves the dispersion of fine mist particles into the air, which then settle on surfaces within the HVAC system. This method is particularly useful in reaching hard-to-access areas where traditional cleaning methods may fall short. When incorporated as part of an affordable duct cleaning package, ULV fogging offers several benefits.

Firstly, ULV fogging can be applied during the initial stages of duct cleaning to loosen and dislodge accumulated debris. By introducing a fine mist of cleaning solution into the ductwork, the fogging process helps to break down grime and contaminants, making them easier to remove during subsequent cleaning steps. This pre-treatment not only enhances the overall effectiveness of the cleaning process but also reduces the need for excessive scrubbing or chemical use.

Additionally, ULV fogging can be utilized as a final step in the duct cleaning process to ensure thorough sanitization. After the ducts have been cleaned and vacuumed, a sanitizing fog can be applied to eliminate any remaining bacteria, viruses, or mold spores. This added layer of protection helps to create a cleaner and healthier indoor environment, particularly in settings where air quality is a top priority, such as homes, schools, and healthcare facilities.

Furthermore, ULV fogging is a cost-effective solution that can be easily integrated into routine maintenance schedules. Unlike more invasive cleaning methods that may require system shutdowns or extensive labor, ULV fogging can be performed quickly and efficiently, minimizing disruption to daily operations. This makes it an ideal choice for facilities looking to maintain high standards of cleanliness without breaking the bank.

In conclusion, incorporating ULV fogging into an affordable duct cleaning package offers numerous advantages for HVAC maintenance. By enhancing the cleaning process, providing thorough sanitization, and offering cost-effective solutions, ULV fogging helps to ensure optimal air quality and a healthier indoor environment for all occupants. Whether as a pre-treatment or final step in the cleaning process, ULV fogging is a valuable tool in the quest for cleaner, safer spaces.

When considering the application of Ultra-Low Volume (ULV) fogging in HVAC cleaning, it's crucial to weigh the potential drawbacks and safety considerations to ensure both effectiveness and safety.

Firstly, one significant drawback is the potential for over-saturation. ULV fogging involves dispersing a fine mist of cleaning solution, which can sometimes lead to excessive moisture accumulation within the HVAC system. This can result in mold growth if not properly managed, counteracting the intended cleaning benefits.

Another concern is the possibility of chemical residue. The fine mist can settle on surfaces within the HVAC system, leaving behind residues that may be harmful if not thoroughly rinsed or if incompatible chemicals are used. This can lead to air quality issues, especially in environments where occupants have sensitivities or respiratory conditions.

Safety is a paramount consideration when employing ULV fogging. The process involves the use of chemicals, which can pose risks to both the cleaning personnel and the building occupants. Proper personal protective equipment (PPE) must be worn by those conducting the fogging to prevent inhalation or skin contact with potentially harmful substances. Additionally, it's essential to evacuate the premises during the fogging process and ensure adequate ventilation before re-occupancy to mitigate any health risks associated with chemical exposure.

Furthermore, the effectiveness of ULV fogging can be influenced by the design and condition of the HVAC system. In systems with complex ductwork or significant blockages, the fog may not reach all areas, leading to incomplete cleaning. This necessitates a thorough assessment of the HVAC system beforehand to determine the suitability of ULV fogging.

In conclusion, while ULV fogging can be an effective method for HVAC cleaning, it's imperative to consider the potential drawbacks and safety implications. Proper planning, including system assessment, chemical selection, and safety protocols, is essential to maximize the benefits while minimizing risks.

Choosing the right ULV fogging service in Calgary is crucial, but knowing when to apply it within HVAC cleaning is where the real magic happens. It's not just about blasting everything

with fog; it's about timing and targeting. Think of it like this: ULV fogging is the after-dinner mint of HVAC cleaning, best served after the main course of physical cleaning.

First, you need to get the big stuff out. Dust, debris, allergens – all that needs to be physically removed with brushes, vacuums, and good old-fashioned elbow grease. ULV fogging isn't a substitute for this core cleaning. It's designed to reach those hard-to-get-to places and neutralize lingering contaminants.

So, when's the right time? Ideally, after a thorough mechanical cleaning. Once the ducts are as clean as physically possible, ULV fogging steps in to disinfect and sanitize. This is particularly important if you suspect mold, bacteria, or other microbial growth. The fog penetrates deep into the system, killing off these nasties and preventing them from recolonizing.

Consider the environment too. Is it allergy season? Has there been a recent outbreak of illness in the building? These are prime times to consider ULV fogging, even if it's not part of your regular cleaning schedule. It's a proactive measure that can improve air quality and reduce the spread of germs.

Finally, don't forget about proper ventilation. After the fogging process, the HVAC system needs to be run to circulate the disinfectant and then thoroughly ventilated to remove any lingering residue. This ensures the air is clean and safe for occupants.

In short, ULV fogging isn't a standalone solution. It's a powerful tool when used strategically, following a thorough physical cleaning and with careful consideration of the environment and ventilation procedures. Choosing a Calgary service that understands this nuanced approach is key to getting the best results for your HVAC system and the air you breathe.

About efficiency

Efficiency is the frequently measurable capability to prevent making mistakes or wasting materials, energy, efforts, cash, and time while executing a task. In a much more basic

sense, it is the ability to do things well, successfully, and without waste. In even more mathematical or clinical terms, it indicates the degree of performance that makes use of the least amount of inputs to accomplish the greatest quantity of result. It frequently particularly consists of the ability of a specific application of initiative to produce a particular end result with a minimum amount or amount of waste, expense, or unneeded effort. Performance refers to really different inputs and results in different areas and sectors. In 2019, the European Commission said: "Resource effectiveness indicates making use of the Planet's limited resources in a sustainable procent way while minimising impacts on the atmosphere. It enables us to create a lot more with much less and to provide better value with much less input. " Author Deborah Rock notes that effectiveness is "not an objective by itself. It is not something we want for its very own benefit, but instead since it assists us acquire more of the things we value."

.

About mold

A mold and mildew (US, PH) or mould (UK, CW) is one of the structures that certain fungi can create. The dust-like, colored look of molds results from the development of spores containing fungal second metabolites. The spores are the dispersal devices of the fungi. Not all fungis develop molds. Some fungi develop mushrooms; others expand as solitary cells and are called microfungi (for instance, yeasts). A big and taxonomically diverse variety of fungal species develop mold and mildews. The development of hyphae results in staining and a blurry appearance, especially on food. The network of these tubular branching hyphae, called a mycelium, is taken into consideration a single microorganism. The hyphae are generally clear, so the mycelium resembles extremely fine, fluffy white strings over the surface. Cross-walls (septa) might delimit linked areas along the hyphae, each including one or several, genetically similar nuclei. The dirty texture of several molds is brought on by extreme manufacturing of nonsexual spores (conidia) created by differentiation at the ends of hyphae. The setting of development and shape of these spores is traditionally utilized to identify molds. Many of these spores are colored, making the fungus far more noticeable to the human eye at this phase in its life-cycle. Mold and mildews are germs that do not form a details taxonomic or phylogenetic grouping, but can be discovered in the departments Zygomycota and Ascomycota. In the past, most mold and mildews were classified within the Deuteromycota. Mold was the typical name for water molds or sludge molds, which were formerly classified as fungi. Molds trigger

biodegradation of natural products, which can be undesirable when it ends up being food perishing or damages to residential property. They additionally play vital functions in biotechnology and food science in the production of different pigments, foods, beverages, anti-biotics, drugs and enzymes. Some conditions of pets and humans can be caused by particular mold and mildews: illness may arise from allergic level of sensitivity to mold spores, from growth of pathogenic mold and mildews within the body, or from the effects of consumed or breathed in harmful substances (mycotoxins) created by mold and mildews.

.

About 75 Timberline Pt SW

Driving Directions in Calgary

commercial duct cleaning Calgary

50.997957894022, -113.97592759184

Starting Point

Destination

[Open in Google Maps](#)

duct cleaning calgary

51.03466130212, -113.95677628372

Starting Point

Destination

[**Open in Google Maps**](#)

residential duct cleaning Calgary

51.027072402415, -114.03519321329

Starting Point

Destination

[**Open in Google Maps**](#)

best duct cleaning Calgary

51.026642146542, -113.94165180827

Starting Point

Destination

[**Open in Google Maps**](#)

furnace cleaning calgary

51.063581257508, -114.03569844906

Starting Point

Destination

[Open in Google Maps](#)

HVAC cleaning Calgary

51.0630754205, -113.93689557227

Starting Point

Destination

[**Open in Google Maps**](#)

dryer vent cleaning Calgary

51.010498407512, -114.01724982832

Starting Point

Destination

[**Open in Google Maps**](#)

professional air duct cleaners Calgary

51.026051641646, -113.96561720535

Starting Point

Destination

[**Open in Google Maps**](#)

furnace and duct cleaning Calgary

51.040735201028, -114.00754406901

Starting Point

Destination

[**Open in Google Maps**](#)

furnace cleaning calgary

51.028662380711, -113.97248240502

Starting Point

Destination

[**Open in Google Maps**](#)

Google Maps Location

[https://www.google.com/maps/place/75+Timberline+Pt+SW/@50.988109218608,-](https://www.google.com/maps/place/75+Timberline+Pt+SW/@50.988109218608,-114.01931944876,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

[114.01931944876,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895](https://www.google.com/maps/place/75+Timberline+Pt+SW/@50.988109218608,-114.01931944876,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

[113.98860543750001!16s%2F](https://www.google.com/maps/place/75+Timberline+Pt+SW/@50.988109218608,-114.01931944876,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

Click below to open this location on Google Maps

[**Open in Google Maps**](#)

Google Maps Location

https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.061452361381,-114.02954464035,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.02589113.98860543750001!16s%2F

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.069223505831,-113.95074197943,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.040360650253,-114.00483921289,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.02589113.98860543750001!16s%2F

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.020578306499,-114.05644614316,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F

Click below to open this location on Google Maps

Open in Google Maps

Google Maps Location

<https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.000731193236,-113.97841182031,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895>

113.98860543750001!16s%2F

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

[https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.001956756565,-](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.001956756565,-114.01450178547,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

[114.01450178547,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.001956756565,-114.01450178547,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

[113.98860543750001!16s%2F](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.001956756565,-114.01450178547,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

[https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.050166272941,-](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.050166272941,-114.01013709584,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

[114.01013709584,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.050166272941,-114.01013709584,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

[113.98860543750001!16s%2F](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.050166272941,-114.01013709584,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

[https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.033619248236,-](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.033619248236,-113.93681215561,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

[113.93681215561,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.033619248236,-113.93681215561,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

[113.98860543750001!16s%2F](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.033619248236,-113.93681215561,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

[https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.053222835714,-](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.053222835714,-113.94796122905,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

[113.94796122905,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.053222835714,-113.94796122905,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

[113.98860543750001!16s%2F](https://www.google.com/maps/place/75+Timberline+Pt+SW/@51.053222835714,-113.94796122905,25.2z/data=!4m6!3m5!1s0x53716dec6b1ca211:0x99e851d56da2e03b!8m2!3d51.025895113.98860543750001!16s%2F)

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=50.997957894022,-113.97592759184&destination=51.025895817010564%2C-113.98860543750001&travelmode=driving&query=commercial+duct+cleaning+Calgary>

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=50.997957894022,-113.97592759184&destination=51.025895817010564%2C-113.98860543750001&travelmode=driving&query=commercial+duct+cleaning+Calgary)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=50.997028933393,-114.01873097329&destination=51.025895817010564%2C-113.98860543750001&travelmode=driving&query=residential+duct+cleaning+Calgary>

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=50.997028933393,-114.01873097329&destination=51.025895817010564%2C-113.98860543750001&travelmode=driving&query=residential+duct+cleaning+Calgary)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=51.040735201028,-114.00754406901&destination=51.025895817010564%2C-113.98860543750001&travelmode=driving&query=furnace+and+duct+cleaning+Calgary>

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=51.040735201028,-114.00754406901&destination=51.025895817010564%2C-113.98860543750001&travelmode=driving&query=furnace+and+duct+cleaning+Calgary)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=51.059980401483,-113.94714425543&destination=51.025895817010564%2C-113.98860543750001&travelmode=driving&query=cheap+duct+cleaning+Calgary>

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=51.059980401483,-113.94714425543&destination=51.025895817010564%2C-113.98860543750001&travelmode=driving&query=cheap+duct+cleaning+Calgary)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=51.028662380711,-113.97248240502&destination=51.025895817010564%2C-113.98860543750001&travelmode=driving&query=cheap+duct+cleaning+Calgary>

113.98860543750001&travelmode=driving&query=furnace+cleaning+calgary

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.063581257508,-

114.03569844906&destination=51.025895817010564%2C-

113.98860543750001&travelmode=driving&query=furnace+cleaning+calgary

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.057623013547,-

114.03538886942&destination=51.025895817010564%2C-

113.98860543750001&travelmode=driving&query=best+duct+cleaning+Calgary

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=50.998951684472,-

114.05344455199&destination=51.025895817010564%2C-

113.98860543750001&travelmode=driving&query=professional+air+duct+cleaners+Calgary

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.001153843859,-

113.91315614043&destination=51.025895817010564%2C-

113.98860543750001&travelmode=driving&query=Calgary+indoor+air+quality+services

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=51.047597372817,-114.0000929149&destination=51.025895817010564%2C-113.98860543750001&travelmode=driving&query=affordable+duct+cleaning+calgary>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Frequently Asked Questions

What kind of chemicals are used in ULV fogging, and are they safe for my family and pets, especially since I am looking for affordable duct cleaning?

We use EPA-registered, environmentally friendly sanitizers for ULV fogging. After fogging, to ensure the safety of your family and pets no one should enter the occupied space for 2-3 hours as the chemicals do their work. This is part of the affordable duct can be to use an EPA registered and human safe products. Ask about the fogging products used to ensure the health and safety of your family.

The Duct Stories Calgary

Phone : +15872296222

City : Calgary

State : Canada

Zip : AB T3H 6C8

Address : 75 Timberline Pt SW

Google Business Profile

Company Website : www.ductcleaningwinnipeg.net

[Sitemap](#)

[Privacy Policy](#)

[About Us](#)

Follow us