

Date _____

Name _____

Client _____

Project name _____


Quote# _____

Type/Quantity _____

NEEDLE 1 TRC OK 92733
25015 9220

[Weblink](#)

AVAILABLE AS FROM 08/2019 (CONTACT US FOR MORE DETAILS)



Available colors: FLEMISH GOLD (25015 9220 FG)
 BLACK BRONZE (25015 9220 BBR)

ADJUSTABLE 0-50°/350°
 INCL. 1 x LED 4,1-8,7W / CRI>90 / 2700K / 355-629lm
 INCL. 1 x LENS SP-33°
 EXCL. LED POWER SUPPLY 350-700mA-DC
 Other CRI or KELVIN on request

LED Technics: Light source: 629 lm // 8 W // 72 lm/W
 Luminaire: 10 W

Class: III





















Weight: 0.2 KG
 Protection level: IP20
 Minimum distance: n.a.























Requirements: CONNECTION TRIMLESS
 LED POWER SUPPLY 350 / 500 / 700mA-DC DIM

For detailed installation instructions, please consult the manual.

NEEDLE 1 TRC OK 92733
25015 9220

Related references
LED POWER SUPPLIES


<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9 300 90 67 Number of luminaires: 3 / 3 / -</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM1 300 48 350 ED1 Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5 300 48 350 ED5 Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W MDL 300 48 350 MDL Number of luminaires: 3</p>
<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W WDL 300 48 350 WDL Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM1 300 48 500 ED1 Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5 300 48 500 ED5 Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W MDL 300 48 500 MDL Number of luminaires: 3</p>
<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W PRO DIM1 300 48 500 PRO ED1 Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W PRO DIM5 300 48 500 PRO ED5 Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W PRO WDL 300 48 500 PRO WDL Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W WDL 300 48 500 WDL Number of luminaires: 3</p>
<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM1 300 48 700 ED1 Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5 300 48 700 ED5 Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W MDL 300 48 700 MDL Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W PRO DIM1 300 48 700 PRO ED1 Number of luminaires: 3</p>
<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W PRO DIM5 300 48 700 PRO ED5 Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W PRO WDL 300 48 700 PRO WDL Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W WDL 300 48 700 WDL Number of luminaires: 3</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 350mA-DC / 10W DIM8 300 90 110 220-240V / 50-60Hz Number of luminaires: 2->2</p>

<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 350mA-DC / 15W 300 90 91 110-240V / 0 50-60Hz Number of luminaires: 3(2)</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 350mA-DC / 16W DIM8 300 90 3112 110-240V / 50-60Hz Number of luminaires: 2->3</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 350mA-DC / 18W DIM8 300 90 116 220-240V / 50-60Hz Number of luminaires: 3->4</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 350mA-DC / 8W 300 90 108 110-240V / 0 50-60Hz Number of luminaires: 1</p>
<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 500mA-DC / 11W DIM8 300 90 119 220-240V / 50-60Hz Number of luminaires: 1</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 500mA-DC / 20W DIM8 300 90 121 220-240V / 50-60Hz Number of luminaires: 2->3</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 500mA-DC / 21W DIM8 300 90 92 110-240V / 0 50-60Hz Number of luminaires: 3(1)</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 500mA-DC / 22W DIM8 300 90 5120 110-240V / 50-60Hz Number of luminaires: 3->3</p>
<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 700mA-DC / 17W 300 90 93 110-240V / 0 50-60Hz Number of luminaires: 1</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 700mA-DC / 20W DIM8 300 90 118 220-240V / 50-60Hz Number of luminaires: 2->2</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 700mA-DC / 36W DIM8 300 90 123 220-240V / 50-60Hz Number of luminaires: 3</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER COMPACT WDL 21012 005W 220-240V / 0 50-60Hz Number of luminaires: 4 / 4 / 3</p>
<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER DIM5 300 90 68 110-240V / 0 50-60Hz Number of luminaires: 3(3) / 3(2) / 3(1)</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER DIM6 300 90 61 220-240V / 50-60Hz Number of luminaires: 3 / 3 / 3</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER DIM7 300 90 124 110-240V / 0 50-60Hz Number of luminaires: 2->4(3) / 3(2) / 2(1)</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER DIM7 300 90 64 110-240V / 0 50-60Hz Number of luminaires: 4(3) / 3(2) / 3(1)</p>
<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER HV DIM9 300 90 63 110-240V / 0 50-60Hz Number of luminaires: 5(5) / 5(5) / 5(4)</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER HV 300 90 135 220-240V / 0 50-60Hz Number of luminaires: 4->6 / 3->6 / 3->6</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER HV DIM7 300 90 134 110-240V / 0 50-60Hz Number of luminaires: 2->8(8) / 8(6) / 6(4)</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER HV DIM9 300 90 69 110-240V / 0 50-60Hz Number of luminaires: 2->8(8) / 8(6) / 6(4)</p>
<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER MINI DIM5 300 90 125 110-240V / 0 50-60Hz Number of luminaires: 3(3) / 3(2) / 3(1)</p>	<p align="center">Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER WDL 21012 004W 110-240V / 0 50-60Hz Number of luminaires: 5(5) / 5(5) / 5(4)</p>		

Related references

ELECTRIC CONNECTION PARTS

Weblink / Specsheet



CONNECTION TRIMLESS O.F.A.
328 10 03