



December 17, 2015

Perrigo Customers Requiring CPSIA Certification for PPPA Products

Subject: CPSIA Certification No: 275

CPSC Product Safety Regulation:	PPPA - 16 CFR 1700
Product Identification/Lot Number:	Customer Part Numbers for CR Test <b>GLM 28120 &amp; U200-902</b>
Date of Manufacture:	Any Production for CR Test Report <b>GLM 28120 &amp; U200-902</b> which is impacted by PPPA produced on or after November 12, 2008
Perrigo Address of Manufacture:	<b>Perrigo Company</b> 515 Eastern Avenue Allegan, MI 49010
Name and Address Where Product was Tested for Compliance:	<b>Child-Related Research</b> <b>Great Lakes Mkt</b> 448 East Winchester Street      3103 Executive Pkwy Suite 140      Suite 106 <b>Murray, Utah 84107</b> <b>Toledo, OH 43606</b>
Testing Date:	12/16/2015
Contact Information for Maintenance of Records:	<b>Perrigo Consumer Affairs:</b>  <b>OTC Product Questions/Comments</b> 1 800 719-9260 <a href="mailto:OtcComments@perrigo.com">OtcComments@perrigo.com</a>  <b>Nutrition Product Questions/Comments</b> 1 866 703-4222 <a href="mailto:NutritionalComments@perrigo.com">NutritionalComments@perrigo.com</a>  <b>Rx Product Questions/Comments</b> 1 866 634-9120 <a href="mailto:RxComments@perrigo.com">RxComments@perrigo.com</a>