



## USE

Avoid lippage during the laying of ceramic tiles in both floor and Wall tiles.

For tiles from 30x30 cm and bigger. Back-buttering required.

## FUNCTIONAL CHARACTERISTICS

INTUITIVE & EASY to use. Results less sensitive to the user's skill.

IMPACT removal system (by kicking or mallet). Always in the direction of the grout.

GUARANTEE flatness and regularity of the laying surface.

Strip's base shape works as a spring. ENSURING continuous strength between strip and cap.

Side opening on strip's base ALLOWS adhesive pass through. IMPROVING tile adhesion.

Re-usable caps.

ERGONOMIC & LIGHT pliers with bi-material handle.

FAST tightening regulation system adjustable to the thickness of each tile.

[www.rubi.com](http://www.rubi.com)

## TECHNICAL SPECIFICATIONS OF THE STRAPS



**Ref. 02893** – 100 u. bag

**Ref. 02894** – 200 u. bag

**Ref. 02985** – 400 u. bag

- Made in technical polymer. System no sensitive to the humidity.
- Strip's thickness: 0.9 mm. (minimum grout of 1.5 mm. guarantee).
- Compatible with tile of thickness: 3 -16 mm.

## TECHNICAL SPECIFICATIONS OF THE CAPS



**Ref. 02890** – 100 u. bag

**Ref. 02891** – 200 u. bag

**Ref. 02982** – 400 u. bag

- Circular design ensures even distribution of pressure.
- Made in POM.
- Reusable.

## TECHNICAL SPECIFICATIONS OF THE PLIERS



Ref. 02989

- Made in Nylon (PA6) reinforced with fiberglass.
- 4 work positions (tile thickness):
  1. 3-7 mm.
  2. 6-11 mm.
  3. 10-14 mm.
  4. 11-16 mm.



Ref. 03900

- Made of galvanized carbon steel.
- Ergonomic handle, made of bi-material (plastic and rubber).
- Height adjustment by adjusting screw (without the need for tools).

[www.rubi.com](http://www.rubi.com)



## CAPS AND STRAPS PACKAGING

TLQ's straps and caps in plastic bags of 100, 200 and 400 units.

Sales unit for STRAPS and CAPS: 1 box. (Number of bags/box may vary on each reference).

Ref. 02890 – TLQ CAP (B-100 UN) – 10 Bags/box DISPLAY BOX.

Ref. 02891 – TLQ CAP (B-200 UN) – 15 Bags/box.

Ref. 02892 – TLQ CAP (B-400 UN) – 8 Bags/box.

Ref. 02893 – TLQ STRIP (B-100 UN) – 6 Bags/box DISPLAY BOX.

Ref. 02894 – TLQ STRIP (B-200 UN) – 12 Bags/box.

Ref. 02895 – TLQ STRIP (B-400 UN) – 6 Bags/box.

Dimensions of the unitary box DISPLAY BOX (Ref. 02890 and 02893): 24x40x35 cm.

Dimensions of the unitary box (Ref. 02891, 02892, 02894 and 02895): 60x40x42 cm.

Gross weight:

DISPLAY BOX ref. 02890 and 02893: 5.2 Kg.

Box ref. 02891 and 02894: 15.3 Kg.

Box ref. 02892 and 02895: 16.5 Kg.

Units par pallet:

DISPLAY BOX ref. 02890 and 02893: 30 boxes (300 bags).

Box ref. 02891 and 02894: 12 boxes (180 bags).

Box ref. 02892 and 02895: 12 boxes (96 bags).

Pallet weight:

DISPLAY BOX ref. 02890 and 02893: 172 Kg.

Box ref. 02891 and 02894: 201 Kg.

Box ref. 02892 and 02895: 215 Kg.

## PLIERS PACKAGING

TLQ's plier in transparent blister.

Sales unit for TLQ's PLIER: 1 unit.

Dimensions of the TLQ's PLIER blister: 22x7x4 cm.

Gross weight of the TLQ's PLIER blister: 122 gr.

[www.rubi.com](http://www.rubi.com)