



USE

- Particularly recommended for straight cuts in fine porcelain tiles, and especially in those jobs requiring a high cutting speed without sacrificing high levels of performance and quality.
- Wet and dry cut

FEATURED CHARACTERISTICS

- PREMIUM blade
- INSTALLATION PHASE #2
- High technology for high speed in straight cutting of fine porcelain tiles.
- The ARROWHEAD blade thanks to the J-SLOT design increases the cutting speed in very hard porcelain tiles, while reducing the stresses generated during cutting.
- Laser welding, between the diamond rim and the steel core of the blade guarantee the quality and the safety for the user.
- Only for straight cuts, not suitable for miter cuts.
- Specially designed for connection to a 5/8 in. arbour.

TECHNICAL SPECIFICATIONS

Ref. 31916

Use: wet & dry

Diameter Ø: 4 1/2" (115 mm)

Rim thickness: 1/16" (1.2mm)

Rim height: 5/16" (7mm)

Inner diameter: 7/8" (22.2 mm) with reduction ring to 5/8" (15.875 mm)

Net weight: 105 gr

Maximum rpm: 13300 rpm

Ref. 30985

Use: wet & dry

Diameter Ø: 7" (180 mm)

Rim thickness: 1/16" (1.2mm)

Rim height: 5/16" (7mm)

Inner diameter: 7/8" (22.2 mm) with reduction ring to 5/8" (15.875 mm)

Net weight: 250 gr

Maximum rpm: 8500 rpm

Ref. 30994

Use: wet

Diameter Ø: 10" (250 mm)

Rim thickness: 1/16" (1.6 mm)

Rim height: 7mm

Inner diameter: 1" (25.4 mm) with reduction ring to 5/8" (15.875 mm)

Net weight: 470 gr

Maximum rpm: 6150 rpm



PACKAGING

Full-colour carton blister with anti-theft clipping system.

Ref. 31916

Sales unit: 1

Blister dimensions: 16 x 18 x 1 cm

Units per box: 20

Box dimensions: 19,5 x 19 x 12,5 cm

Ref. 30985

Sales unit: 1

Blister dimensions: 16 x 18 x 1 cm

Units per box: 20

Box dimensions: 19,5 x 19 x 12,5 cm

Ref. 30994

Sales unit: 1

Blister dimensions: 16 x 18 x 1 cm

Units per box: 20

Box dimensions: 19,5 x 19 x 12,5 cm

NORM

N/A